## Sparkle Up



**Brand:** Bioguard

**Product Code:** 23715BIO **Availability:** In Stock

Weight: 0.00kg

**Dimensions:** 0.00cm x 0.00cm x 0.00cm

Phone: 585-889-9624 - Email: shop@aceswim.com

**Price: \$34.99** 

### **Description**

1.5 lbs - Sparkle Up

#### What it does

Tiny particles of suspended dirt, plaster dust, dead algae, pollen, etc. may pass right through the filter. BioGuard<sup>®</sup> Sparkle Up<sup>®</sup> will trap these tiny particles in the filter and will rapidly restore sparkle to cloudy water. This product contains no D.E. or alum. It will not affect the pH of pool water.

#### **Features**

- 100% cellulose
- Compatible with chlorine, bromine, Mineral Springs®, and saltwater systems

#### **Benefits**

- Restores water sparkle
- Aids in removal of copper and iron

- Improves filtration of all filters
- For use with all filter types

# **Directions for Use Directions for Use**

*NOTE:* Under no circumstances should filter pressure be allowed to exceed that recommended by the manufacturer.

#### D.E. Filter

- 1. Thoroughly backwash filter, clean skimmer basket and hair & lint basket.
- 2. Set filter to normal position.
- 3. Mix 1 part Sparkle Up and 2 parts D.E. in a clean bucket of water in sufficient quantity for normal filter charge.
- 4. Pour this slurry solution through the skimmer with the pump running.
- 5. Operate as normal until a new charge is required.

#### Cartridge Filter

- 1. Remove, clean and replace cartridge. Then with pump running, add 8 cups of Sparkle Up per 100 ft<sup>2</sup> of filter area.
- 2. Clean cartridge when pool clears, or if filter pressure reaches manufacturer's recommended maximum.

#### Sand Filter

- 1. Thoroughly backwash filter and return to normal position.
- 2. Add according to general directions using chart below for dosage amount. (Use cup provided with Sparkle-Up.)
- 3. Operate circulation system continuously for 24 hours. Backwash filter after 24 hour operation, or if pressure gauge reaches the maximum operating pressure recommended by the manufacturer.

```
Dia Level Cups
mete
r of
Filte
r
12" 1 cup
```

- 18" 2 cups
- 24" 4 cups
- 30" 6 cups
- 36" 9 cups
- 42" 13 cups
- 48" 17 cups